

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Bauer et al.

Application No. 10/686,548

Filed: October 14, 2003

Confirmation No. 3478

For: POSITIVE DETECTION LATERAL-FLOW
APPARATUS AND METHOD FOR
SMALL AND LARGE ANALYTES

FILED VIA EFS:
April 28, 2008

Examiner: Gary W. Counts

Art Unit: 1641

Attorney Reference No. 7772-66637-01

FILED VIA EFS

Commissioner for Patents

**NOTICE OF APPEAL FROM THE EXAMINER
TO THE BOARD OF PATENT APPEALS AND INTERFERENCES**

Applicants hereby appeal to the Board from the decision of Examiner Gary W. Counts mailed 11/26/2007, finally rejecting claims 1,2,4-21,31,35-45,47,49 and 75-83.

Applicants apply for an extension of time for two months. If an additional extension of time is required please consider this a petition therefor.

The \$255.00 fee per 37 C.F.R. § 1.17 (b) for filing this Notice of Appeal and the \$230.00 fee for the two-month extension of time is paid herewith upon filing this Notice of Appeal via EFS.

Please charge any additional fees that may be required in connection with filing this Notice of Appeal and extension of time, or credit any overpayment, to Deposit Account No. 02-4550.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 595-5300
Facsimile: (503) 595-5301

By /William D. Noonan, M.D./
William D. Noonan, M.D.
Registration No. 30,878